



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

the temperature of the patient had fallen, he found the bacilli in groups of five to fifty. In three of these six cases the temperature of the patient did not rise again after it had fallen, and the bacilli found at the time of the fall of temperature, or shortly after, disappeared after three to six days. The bacilli have not been observed in other conditions, as shown by many control observations made of the sputa in cases of bronchial catarrh, pneumonia, tuberculosis, etc., and they have never been demonstrated in the blood under other circumstances.

Diagnosis of Influenza by the microscopical examination of the blood in obscure cases. Canon¹ has been able to diagnose obscure cases of influenza, especially where no cough or expectoration existed, by means of the microscopical examination of stained blood preparations. The reliability of the microscopical examination was demonstrated in six cases by culture control experiments—the bacilli in the cover-glass preparations being but few and isolated.

Morphology. The bacilli are very minute non-motile rods, one-half as broad as they are long (of the same width as *B. murisep-ticus*, about 0.2μ) and occur in chains of three to four individuals.

Staining. The bacilli are stained by means of dilute Ziehl solution (carbolic acid, five per cent solution in distilled water, 100 cubic centimetres; alcohol, 10 cubic centimetres; fuchsin, 1 gram) or heated Löffler's methylene-blue, and, in consequence of the fact that the ends of the bacilli take up the stain more intensely than the rest of the organism (polar staining), they present the appearance, unless deeply stained (Canon), of diplococci when single, or of streptococci when several bacilli are united to form a chain. The bacilli do not stain well with basic anilins and the Gram method (Pfeiffer). They may be demonstrated in the blood of influenza cases as follows: A drop of blood flowing from the pricked finger tip, is brought in contact with a cover-glass and spread by means of a second cover-glass which is placed over the first. The cover-slips are then drawn apart, and we have two films of blood covering the surface of each, which we proceed to dry at room temperature. Place the cover-glass thus prepared five minutes in absolute alcohol, and from this into Czenzynke's solution (concentr. methylene-blue solution, 40 grams; one-half per cent eosin solution, in 70 per cent alcohol, 20 grams; aq. dest., 40 grams) for three to six hours at 37° C. On removal from the stain, wash with water, dry, and mount in balsam. This stain shows the red blood corpuscles red, the leucocytes and bacilli blue (Canon).

Cultivation of the bacillus of influenza. The bacillus requires 28° to 37° C. for its development. On 1.5 per cent sugar-agar Pfeiffer could not succeed in causing more than a second generation to grow, though minute characteristic colonies at first developed. On glycerine-agar Kitasato has succeeded in maintaining cultures alive up to the tenth generation. The colonies formed by the growth of the influenza bacillus on agar slant-cultures appear like minute watery drops, which are so small that they are easily overlooked. In a second culture, inoculated from the first, the tendency for the colonies to remain separate and distinct is more evident, this growth being regarded as perfectly characteristic. The colonies are observable by means of a hand-lens when 24 hours old.

In bouillon the growth at the end of 24 hours is poor, appearing first in the form of small particles suspended in the perfectly clear fluid. These small bacterial masses gravitate, forming a flocculent deposit and leaving the supernatant fluid clear. This mode of growth, as we know, shows them to be non-motile organisms.

Canon, in his first communication, stated that he had been unable to obtain a growth of the bacilli derived from the blood, either in bouillon, plain agar, sugar or glycerin agar. In his second publication² he describes a successful method he has employed for the isolation of the organisms. On account of the diminutive size of the colonies formed by the growth of the bacillus, their

comparatively small number in the blood, and the fact that the blood in coagulating prevents a proper isolation of the colonies, Canon proceeded as follows: The use of Esmarch roll cultures was abandoned in favor of cultures on Petri dishes. Into the latter, not only was it possible to introduce a larger amount of blood and thus increase the number of colonies obtained, but also such cultures offered the advantage of being readily examined for the minute colonies of the bacillus by means of the microscope. The blood of influenza patients was obtained in the usual way from the finger-tip, which had been sterilized with sublimate and dried with alcohol and ether, and pricked with a needle or pen-point previously sterilized in the flame. An assistant watches that the blood as it wells forth does not coagulate, but that the drops are spherical in form. Eight to ten drops are smeared over the surface of the dish, and the latter placed at 37° C. The colonies are best seen along the margins of the smeared blood ("Impfstrich"), or in places where relatively little blood has been smeared.

Pathogenic qualities. Monkeys and rabbits are susceptible when inoculated with this organism. Guinea-pigs, rats, pigeons (Pfeiffer), and mice (Pfeiffer, Canon) are refractory.

GEORGE H. F. NUTTALL, M.D., Ph.D. (Göttingen),

Assistant in Hygiene and Bacteriology.
Johns Hopkins University and Hospital,
Baltimore, Md.

The Question of the Celts.

It would interest me very much, and I believe it would many readers, if Dr. P. Max Foshay will adduce any positive evidence, linguistic, craniological, or artistic, to show, 1, That we have any means of deciding about the language of the Ligurians; 2, That the descent of the Auvergnats from the Ligurians can be traced; or, 3, That the Euskarian dialects are related to the Ural-Altaic group. According to Dr. Heinrich Winkler, probably the highest living authority on the Ural-Altaic languages, the Euskarian or Basque language has absolutely no relation to any member of the group.

Philadelphia, March 29.

D. G. BRINTON, M.D.

AMONG THE PUBLISHERS.

In the next number of *The Illustrated American*, No. 111, dated Saturday, April 2, will be commenced a series of illustrated articles by Professor Warren K. Moorehead, on the ancient and extinct race of people known as the Cliff Dwellers, formerly inhabiting that part of the country of the upper Colorado, the San Juan, and its tributaries. This scientific expedition has been sent out under the auspices of *The Illustrated American*. The progress and result of this expedition will be published from time to time in the columns of that excellent weekly.

— F. A. Davis, Philadelphia, has recently issued a book, by Hartvig Nissen, entitled "A B C of the Swedish System of Educational Gymnastics." Mr. Nissen is instructor of physical training in the public schools of Boston, and has been connected in a similar capacity with many of the leading educational institutions of this country and Europe. Since the Swedish system of educational gymnastics has been introduced into the public schools of Boston, it has become a necessity to have a practical hand-book, both for the teachers and the many homes where gymnastics are practised. It is with the purpose of giving plain answers to the most frequent questions that this book has been written.

— With the April number the *Review of Reviews* enters upon its second year. It has had an exceptional, if not an altogether unique, history. One year ago it was known only to a few discriminating readers, and its subscription list and news-stand sales required only a few thousand copies. Its edition the present month is 70,000 copies, and it is eagerly read in every State and Territory in the Union and in every part of Canada. No extraordinary efforts have been made to push the magazine. There has been very little canvassing done for it; no chromos have been given to its subscribers; no special inducements, such as an encyclopædia or a parlor organ thrown in as a gratuity or offered at half-price, have been offered by the publishers. The magazine

¹ Canon, P., Ueber Züchtung des Influenzabacillus aus dem Blute Influenzkranken (Jan. 21). Deutsche Med. Wochenschr., 1892, No. 3, p. 48.

² Canon, P., Ueber Züchtung des Influenzabacillus aus dem Blute Influenzkranken (Jan. 14). Deutsche Med. Wochenschr., 1892, No. 3, p. 48.

has grown to an enormous circulation and to commanding influence simply upon its merits. Its readers have liked it and therefore recommended it to their friends. It owes not a little to the newspapers of the country, which have appreciated the journalistic enterprise and vigor and the enormous amount of hard, honest labor put into every number, and which have most heartily recommended it to their readers. While working in the closest co-operation with the English *Review of Reviews*, edited by Mr. W. T. Stead in London, the *American Review* is a distinct magazine, wholly and entirely edited, printed, and published in New York, and in the fullest sense of the word as much an American periodical

as Mr. Stead's London edition is an English periodical. The general aims and purposes, plans and methods, of the two magazines are identical, and each has the fullest access in advance to all the materials and illustrations prepared for the other. The *American Review*, being somewhat larger and higher priced, is more profusely illustrated. It has twenty or thirty more pages each month than the London edition. Its bound volumes, covering the past year, are a history of current action and thought, and a portrait gallery containing the faces of seven or eight hundred people of contemporary note, representing all parts of the world.

CALENDAR OF SOCIETIES.

Philosophical Society, Washington.

Mar. 26.—S. P. Langley, A Biographical Notice of General Meigs; Lester F. Ward, The new Psychology and what it Promises; T. Russell, River Stage Predictions.

Publications received at Editor's Office.

ADAMS, OSCAR FAY. The Presumption of Sex and other Papers. Boston, Lee & Shepard. 16°. 149 p. \$1.
BERNHARDT, WILHELM. Anderson's Bilderbuch ohne Bilder, with notes and vocabulary. Boston, D. C. Heath & Co. 16°. paper, 127 p. 35 cts.
BOTTONE, S. R. A Guide to Electric Lighting. New York, Macmillan & Co. 160°. 189 p. 75 cts.
BUTLER, N. M. The Place of Comenius in the History of Education. Syracuse, C. W. Bardeen. 16°. paper, 20 p.
CHENEY, SIMON PEASE. Wood Notes Wild: Notations of Bird Music. Edited by J. W. Cheney. Boston, Lee & Shepard. 12°. 276 p. \$2.
EVERETT, C. C. AND OTHERS. The New World: a Quarterly Review of Religion, Ethics and Theology. Boston, Houghton, Mifflin & Co. Vol. I. No. 1. 8°. 200 p. 75 cts. \$3 a year.
STORER, F. H. Agriculture in some of its relations with Chemistry. 4th ed. New York, Charles Scribner's Sons. 2 vols. 8°. pp. 561, 598.
SYME, DAVID. On the Modifications of Organisms. Melbourne, George Robertson & Co. 12°. 172 p.

METAL, MARBLE, AND MOSAIC WORK.

MEMORIAL TABLETS

of any description erected in Schools, Colleges, Libraries, Chapels, Churches and Public Buildings. Send for illustrated hand-book.

J. & R. LAMB, 59 Carmine St., N. Y.



ESTABLISHED 1858.

H. H. UPHAM & CO.,
MEMORIAL TABLETS

In Brass and Bronze,

54 So. Fifth Ave., near Bleecker St., N. Y.

MINERALOGY.

Course of Mineralogy for Young People.

Conducted by correspondence; minerals and books furnished.

Collection and book, "First Grade," one dollar; postage, 25 cents. Send for circulars to
GUSTAVE GUTTENBERG,
Central High School, Pittsburgh, Pa.

GEM OPALS. Cut ready for setting. Having purchased a large lot at the Mexican locality, we are offering them at about one-fifth jewelers' prices; 9c., \$1, \$1.50, \$2, \$3. This is a rare opportunity to secure a fine gem very cheap. 100 pp. Mineral Catalogue 15c., in cloth 25c., Supplement 2c. GEO. L. ENGLISH & CO., Mineralogists, 733 and 735 Broadway, New York City.

PROPRIETARY.

Exhaustion

Horsford's Acid Phosphate.

A wonderful remedy, of the highest value in mental and nervous exhaustion.

Overworked men and women, the nervous, weak and debilitated, will find in the Acid Phosphate a most agreeable, grateful and harmless stimulant, giving renewed strength and vigor to the entire system.

Dr. Edwin F. Vose, Portland, Me., says: "I have used it in my own case when suffering from nervous exhaustion, with gratifying results. I have prescribed it for many of the various forms of nervous debility, and it has never failed to do good."

Descriptive pamphlet free.

Rumford Chemical Works, Providence, R. I.

Beware of Substitutes and Imitations.

CAUTION.—Be sure the word "Horsford's" is on the label. All others are spurious. Never sold in bulk.

STATIONERY, ENGRAVING, ETC.

ESTERBROOK'S
STEEL PENS.

OF SUPERIOR AND STANDARD QUALITY.
Leading Nos.: 048, 14, 130, 135, 239, 333
For Sale by all Stationers.

THE ESTERBROOK STEEL PEN CO.,
Works: Camden, N. J. 26 John St., New York.



PATENTS

For INVENTORS. 40-page BOOK FREE. Address
W. T. Fitzgerald, Attorney at Law, Washington, D. C.

PUBLICATIONS.

1,200 PAGES FOR \$1.00

Is what the Publishers of THE AMERICAN QUEEN are giving their subscribers.

This interesting Magazine, which is published monthly in Bridgeport, Conn., gives one hundred pages of solid literature each month including illustrated articles on travel, historical and biographical reviews of prominent men and places, startling stories of real and adventurous life, etc. Special departments devoted to the household, fashion, book reviews, literature, scientific discoveries, facts and fancies, people of note, correspondence, etc. Its fashion department is illustrated with cuts of the latest fashion and is conducted by one of the most eminent authorities in America. American Queen Publishing Co., Bridgeport, Conn. Subscription \$1.00 per year, 50 cents, 6 months, or send postal note for 25 cents or 30 cents in stamps for 3 months' trial.

Books ordered by Mail, selected with care and forwarded with promptness.

Books out of print and scarce, will be searched for with thoroughness.

Books not to be had, in this country, will be imported to order.

CROTHERS & KORTH,
(Room 22, Manhattan Building),
96 Fifth Avenue, New York City.

THE BOTANICAL GAZETTE.

A monthly illustrated journal of botany in all its departments.

25 cents a number, \$2.50 a year.

Address PUBLISHERS BOTANICAL GAZETTE,
Bloomington, Ind.



AMERICAN WOODS

A book on Woods, containing actual and authentic specimens. PREPARATIONS OF WOODS FOR MICROSCOPE AND STEREOPTICON, and WOODEN CARDS, for invitations, calling cards, etc. Send for circulars.
R. B. HOUGH, Lowville, N. Y.

BACK NUMBERS and complete sets of leading Magazines. Rates low. AM. MAG. EXCHANGE. Schoharie N. Y.